


NETSYNC

ALTO Digital Signage Media Player Model ALTO-8175

4K Cloud-Based SaaS Solution Media Player



ALTO Media Player Features

The ALTO Digital Signage Media Player is part of a powerful solution for delivering dynamic and engaging content to digital displays. Designed to offer seamless playback, advanced management, and versatile connectivity, it is an ideal choice for a wide range of digital signage applications.



KEY FEATURES

Full HD/4K Ultra HD video playback
Remote content management
Support for various media formats
Reliable 24/7 operation
Intuitive user interface

Multiple connectivity options

Content scheduling and playlist management
Interactive touch screen support

Cloud-based content updates

Energy-efficient design

MODEL ALTO-8175 TECHNICAL SPECIFICATIONS

Processor: Quad core ARM Cortex-A53 @

up to 2.0 GHz

GPU: Mali-G31 MP2 "Dvalin" GPU supports

OpenGL ES 3.2 and Vulkan

RAM: 4GB DDR3
Memory: 32GB flash

Ex Storage: microSD card slot

Video Output: HDMI 2.0a output with HDR,

AV port (composite)

Audio Output: HDMI, AV, optical S/PDIF

USB: 1x USB 3.0 port, 1x USB 2.0 port

WIFI: 802.11 a/b/g/n/ac

Bluetooth: Bluetooth4.0

RJ45 Speed: 1000Mbps

OS: 64-bit Customized Android 9.0

IR: IR receiver, IR expansion port, front

panel display, LEDs

Power: 2W

Power Supply: Input 100-240V, 0.33A

Output 5V,2A

Dimensions: 4.13" (L) x 4.13" (W) x 0.71" (H)

Weight: 125g / 4.41oz

SUPPORTED MEDIA FORMATS

Video Output: VP9 Profile-2 up to 4K 60fps

10-bit H.265 up to 4K 60fps AVS2-P2 up to 4K 60fps H.264/AVC up to 4K 30fps H.264 MVC up to 1080p60

MPEG-4 ASP up to 1080p60 (ISO-14496)

Audio: MP3, WAV

Images: JPEG, GIF, WEBP

Web Content: HTML5, RSS feeds

CONTENT MANAGEMENT

Remote content upload and scheduling

Playlist creation and management

Multi-zone screen layouts

Real-time monitoring and reporting

Content tagging and categorization

Integration with third-party content

management systems (CMS)

PRODUCT INCLUDES

Alto 8175 media player

Power adapter

IR remote control

IR extender

HDMI cable

Wall mount kit

English users manual

WARRANTY AND SUPPORT

One Year Standard Warranty

Contact servicedesk@netsync.com

This datasheet is for informational purposes only. Product specifications are subject to change

without notice.

For more information, please visit

https://netsync.com/alto https://alto.netsync.com

ENVIRONMENT CONDITIONS

Operating Temp: 10-60C

